



4<sup>th</sup> Floor  
92 Ann Street  
Belfast  
BT1 3HH

**CONTACT**

028 90 244710  
[Dalradian.CPI@pacni.gov.uk](mailto:Dalradian.CPI@pacni.gov.uk)

**OUR REFERENCE**

2021/WHR01  
2021/WHR02  
2024/WHR01  
2024/WHR02

**YOUR REFERENCE**

TC 080/20\_1  
TC 081/20\_1  
AIL 2024/0008  
AIL 2024/0009

[REDACTED]  
Interim Chief Executive  
NIEA

By Email

**DATE**

09/04/2026

---

**Re: Requests for a Public Local Inquiry under Schedule 1.3(4) of the Water (Northern Ireland) Order 1999 for application TrC 080/20\_1 & TrC 081/20\_1 and Regulation 17 of the Water Abstraction and Impoundment (Licensing) Regulations (Northern Ireland) 2006 for application AIL 2024 0008 & AIL 2024 0009**

Dear [REDACTED]

I am writing in relation to your email of 02 April 2026.

The Commission notes the points made in your letter. With regard to the material available on the NIEA website, the Commission has already clearly set out its position in previous correspondence.

Yours faithfully,

[REDACTED]  
Chief Administrative Officer